


# Planetary Gearbox for Electric Ramp Door

# gevasol Ping

March | 2025



- Harsh Environment
- Heavy Loads
- High Impact



## A Compact, Efficient and Reliable Torque Transmission System

### Challenge


Armored Personnel Carriers (APCs) need reliable electric ramp doors that handle heavy loads, provide high torque, and meet MIL-STD-810G standards.

### Solution

Gevasol Motion Systems' planetary gearbox ensures high torque, durability, and compliance with military standards for seamless ramp door operation.

### Features

- A 1:350 gear ratio efficiently generate the necessary torque for lifting and lowering heavy-duty ramp doors.
- Continuous torque of 4,000 Nm, with intermittent capability up to 12,000 Nm, ensures heavy load capacity.
- Designed with a safety factor of 5, it withstands breaking torques exceeding 20,000 Nm.
- The 12 VDC brake provides 40 Nm holding torque and includes a manual release option for emergency operation.
- Complies with MIL-STD-810G, ensuring resistance to shocks, vibrations, sand, dust, water, salt mist, and humidity.
- IP67-rated sealing guarantees impermeability to water and contaminants.
- Operates reliably within a temperature range of -10 °C to 70 °C.
- An integrated inductive encoder enables precise position feedback.
- Massive core bearings enhance load distribution and durability.



### Main Specifications

#### Gear:

Input Speed: 1200 RPM  
Gear Ratio: 1:350  
Weight: 107 Kg

#### Torque:

Continuous Output: 4,000 Nm  
Intermittent Peak: 12,000 Nm  
Safety Factor: 5 (Breaking Torque > 20,000 Nm)

#### Brake:

Operating Voltage: 12 VDC  
Holding Torque: 40 Nm  
Manual Release for Emergency Use

#### Environmental Conditions:

Sealing: IP67  
Temperature Range: -10°C to 70°C  
MIL-STD-810G Compliance:  
Shock Resistance  
Sand, Dust, and Water Impermeability  
Salt Mist and Humidity Resistance  
Durability for Diesel Fuel

Built to need, we design, adapt, and integrate our solutions to the customer requests and beyond..

Contact us: [marketing@gevasol.com](mailto:marketing@gevasol.com)

**bental**  
motion systems

[www.bental.co.il](http://www.bental.co.il)

[Bental\\_marketing@bental.co.il](mailto:Bental_marketing@bental.co.il)